

Mobile Reverse Osmosis Units

for Purified Water Needs



Quick & Reliable Solutions





MENA-Water – Plug & Play Reverse Osmosis

We provide containerized or skid mounted plants. Reverse Osmosis Systems are capable of removing dissolved salts and other impurities such as bacteria, viruses, and harmful constituents that provides pure potable water and process water, free of toxins, and other contaminants with large molecular weight.

Our plants are designed, engineered, pre-assembled, factory tested with highest quality standards to provide easy and quick shipping, installation in small foot print area and for limited site installation work low energy, and chemicals demands to save your money and time.

The high quality material and components from leading manufacturers are selected in order to provide quality products or long life time of plant and smooth operation.

Our system is suitable to purify and treat seawater, high brackish, and even industrial or municipal water when treated with the Membrane Bioreactor (MBR), external Ultra-filtration, or Nano-Filtration as Pre-Treatment prior to the Reverse Osmosis (RO)

- Filtration and chemical pre-treatment
- 8" & 4" TFC energy-saving membranes
- Membrane FRP pressure vessels
- Corrosion resistant high pressure pumps
- Electrical control panel
- Panel mounted flow meters, TDS, pH, ORP meter/controller
- Low and high pressure switches
- Post and pH adjustment
- Automatic feed shut-off valves
- Pump throttling & concentrate valves
- SS316 liquid filled pressure gauges
- Corrosion resistant high pressure piping
- Corrosion resistant steel frame
- Auto-flush system
- Blending: feed/product
- Sample valves



Skid or Containerized

Optional Features

- Double pass plants for lower permeate TDS
- Higher recovery plants
- SS Frame
- TDS monitoring/controller on feed line
- Clean-in place (CIP)
- Additional pre-treatment
- Supply with 60Hz possible
- Ozonation system / UV sterilizers
- Post de ionizer (DI) polishers
- PLC control panel with HMI touch screen controls
- Assembled in an ISO standard shipping container
- Remote monitoring



Operation Specifications

- Feed turbidity <1 NTU
- Feed SDI : 3-5
- Free oxidant content
- Iron tolerance < 0.05 ppm
- Operate at higher TDS by lowering recovery
- Nominal salt rejection up to 99.8 %
- Max. feed water temperature: 42°C
- Hardness over 1 grains per gallon requires water softener or antiscalant

Applications


- Drinking Water
- Industrial Applications
- Industrial Effluent Recycling
- Medical (Kidney Dialysis)



Fields of Application

RO in combination with MBR is the ideal solution for water recycling in many industries.

If waste water is treated with membrane bioreactor (MBR), then it is suitable (SDI <3) to be followed by Reverse Osmosis system (RO) for valuable resource of high quality recycled water to reduce fresh water and disposals costs.



MENA WATER

OUR AIM - YOUR CONFIDENCE



MENA WATER FZC

P.O. Box: 120881, D3-11, SAIF Zone
Sharjah, United Arab Emirates
Tel.: +971 6 5575507
Fax: +971 6 5575508
E-Mail: info@mena-water.com
www.mena-water.com

MENA WATER GmbH

Industriepark Erasbach A1
92334 Berching, Germany
Tel.: +49 8462 201 390
Fax: +49 8462 201 239
E-Mail: info@mena-water.de
www.mena-water.de



Member of
**German Water
Partnership**



Member of **HUBER** Group
TECHNOLOGY
WASTE WATER Solutions