

Data Request Sheet for Doors TT5

Project: _____

Customer: _____

Customer no.: _____

Person in charge: _____

Phone: _____ E-mail: _____

☐ Offer Offer no.: _____ Unit price _____ €,

☐ Order Order no.: _____ Internal base price per unit _____ €, Item: _____, **P** _____

Below you will find our door questionnaire (consisting of four sheets) for the above property. We kindly ask you to fill in the door questionnaire **completely**, confirm the information under point 11 with your signature and return it to us. We would like to point out that the information you provide is a binding part of the contract for the manufacture of the door. The delivery time stated by us begins after the **fully completed** door questionnaire has been returned. **Requested special equipment that is not included in the offer price will only be carried out against payment.**

Chlorine room door, completely made from 1.4404 (AISI 316 L) stainless steel, **single door** according to sheet TT5, door inside lacquered in RAL 9006, including supply of the associated mounting material.


Customer provided locking system

☐ mechanical

☐ digital (*Digi*) manufacturer: typ:
(anti-panic function required, pulling protection)

1. Shell dimensions:

(Drawing 1)




Clear width B = _____ mm

Clear wall opening F = _____ mm


Clear height H = _____ mm

2. Installation situation:

- ☐ Installation into the lintel
(Z-frame and block frame possible)
(Drawing 2 a)




- ☐ Installation into ceiling-high clearance
(Only block frame possible!)
(Drawing 2 b)




3. Sill closure:

3.1 Standard sill closure:


- ☐ step flashing / wall clamps
(Drawing 3 b)



- ☐ step flashing / bolted with dowels
(Drawing 3 g)




- ☐ non-standard sill, U-profile,
sill height: mm
(minimal 20mm) (Drawing 3h)




3.2 Special sill closure (surcharge):


- ☐ without step flashing,
no test certificate, bolted
with dowels (Drawing 3 f)



- ☐ circumferential block frame
on four sides (Drawing 3i)




- ☐ circumferential Z-frame on
four sides, **only RC3** (Drawing 3j)




4. Frame and mounting options:


- I.) ☐ Block frame bolted with dowelling clips
(Drawing 4 b)




- II.) ☐ Block frame bolted through the frame, minimum edge distance 80 mm
(Drawing 4 c)



- III.) ☐ Z-frame bolted with dowelling clips
(Drawing 4 e)




- IV.) ☐ Z-frame bolted through the frame
(Drawing 4 f)




5. Door opening options:

Single-leaved TT1.1

- ☐ hinges on left
(Drawing 5 a)




- ☐ hinges on right
(Drawing 5 b)




Double-leaved TT1.2 – position of hinges on swing leaf
(as of 1350 mm the door leaf is divided)

- ☐ hinges on left
(Drawing 5 c)



- ☐ hinges on right
(Drawing 5 d)



Swing leaf

_____ mm
(min. 400 mm / max. 1500 mm)

Fixable leaf

_____ mm
(min 300 mm / max. 1500 mm)

6. Aeration

- ☐ With two aeration slits, W x H = 100 x 20 mm, (one in top door section, one in bottom door section), with insect screen
- ☐ Without aeration slits
- ☐ Installation of rigidly mounted louvres (at extra cost), these exceed maximum size (2 x 20 cm²), in accordance with German UVV standards

Size: W x H = 400 x 200 mm

W x H = 500 x 300 mm

Louvre installation position: 1 in the upper section

☐

inside fly grid only

☐
☐

inside fly grid + movable louvre

☐
☐

1 in the lower section

☐

7. Optional equipment:

- | | | |
|--|---|---|
| <input type="checkbox"/> Upper door closer GEZE TS 5000 (door stopper required) | <input type="checkbox"/> swing leaf ≥ 750 mm width | <input type="checkbox"/> fixable leaf ≥ 750 mm width |
| <input type="checkbox"/> Upper door stop manually releasable | <input type="checkbox"/> swing leaf ≥ 750 mm width | <input type="checkbox"/> fixable leaf ≥ 750 mm width |
| <input type="checkbox"/> Lowerable floor seal | | |
| <input type="checkbox"/> One-piece door arrestor (mounted to the door panel), 120 mm lift | <input type="checkbox"/> swing leaf | <input type="checkbox"/> fixable leaf |
| <input type="checkbox"/> Two-piece door arrestor/stop (supplied loose) | <input type="checkbox"/> swing leaf | <input type="checkbox"/> fixable leaf |
| <input type="checkbox"/> Alarm wire insert | | |
| <input type="checkbox"/> Magnetic contact (door OPEN/SHUT indicator) | <input type="checkbox"/> swing leaf | <input type="checkbox"/> fixable leaf |
| <input type="checkbox"/> Lock-bolt contact (door OPEN/SHUT indicator) | | |
| <input type="checkbox"/> Potential equalisation | <input type="checkbox"/> on top of frame | <input type="checkbox"/> on frame bottom |
| <input type="checkbox"/> Heating cable in door frame (without outside temperature sensor, without controls) (HEIZ) | <input type="checkbox"/> in door frame | <input type="checkbox"/> in door panel |
| <input type="checkbox"/> Block frame insulation | | |
| <input type="checkbox"/> Paint RAL colour _____ (RAL...) | <input type="checkbox"/> outside | <input type="checkbox"/> inside |
| <input type="checkbox"/> Additional anti-graffiti lacquer (RAL...) | <input type="checkbox"/> outside | <input type="checkbox"/> inside |
| <input type="checkbox"/> Steel sheet finish | | |
| <input type="checkbox"/> Wood panel, wood type: _____ (HOLZ) | <input type="checkbox"/> outside | <input type="checkbox"/> inside |

Info: In case of sunlight, the operability may be impaired. In these cases, we recommend a steel sheet finish or wood panel. (see special equipment).

8. Other accessories:

9. Delivery address (complete with post code and city)

If the door is to be supplied directly onto a site, indicate the available unloading times and contact persons on site.

10. Customer's confirmation:

Customer's representative: _____ Date: _____ Signature: _____

11. Please return this form to:

HUBER contact person: _____ Phone. Nr. +498462/201- Fax. Nr. +498462/201-399

E-Mail: _____@huber.de

Review: Reviewed at HUBER SE by: _____

12. Enclosures for the design engineers:

- ☐ Drawing ☐ Photo ☐